

**Привет!
Я Ксюша.
И у меня был ТБ.**

Ксения Щенина, ТБ-активистка и правозащитница в течение 10 лет.

Иллюстрация Полины Синяткиной.



От интернета к тексту


Мы с Полиной Синяткиной сочинили отличную книгу (по моему скромному мнению).

Ее художественные работы, мой опыт долгих разговоров с пациентами вместе дали прекрасный результат.

У нас 10000 книжек на русском. На Совещании высокого уровня Генассамблеи ООН была представлена английская версия.

Теперь TB-REP перевел ее на 10 языков региона ВЕЦА.

ТЫ И ТУБЕРКУЛЁЗ



ПАЦИЕНТАМ ОТ ПАЦИЕНТОВ

Мы знаем, через что тебе придётся пройти.
А сейчас запомни: туберкулёз излечим.
И это самое главное.

ANTI-TB DRUGS

Classification of the anti-tuberculosis drugs (WHO, August 2018)

This information shows the regular anti-TB regimens. Your personal medication may differ for various reasons. Never take any medication not prescribed by your doctor!

FIRST-LINE ANTI-TUBERCULOSIS DRUGS

(drugs used to treat "DRUG-SENSITIVE TB")

- ISONIAZID (H)** This most powerful bactericidal agent kills rapidly-multiplying **MTB**, makes you feel better and stops you from being infectious. It is the main drug to treat sensitive **TB**.
- RIFAMPICIN (R)** This has a strong bactericidal and sterilizing effect. It kills the rapid and slow multiplying types of **MTB** as well as 'dormant' intracellular strains. By taking this drug, a course of treatment to treat sensitive **TB** takes only six months for most patients.
- ETHAMBUTOL (E)** This bacteriostatic agent does not kill **MTB** strains but it prevents their reproduction. It also prevents resistance to isoniazid and rifampicin, the main **TB** drugs.
- PYRAZINAMIDE (Z)** This has a sterilizing effect and suppresses bacterial growth. It works where other drugs cannot get in.



||

From patient

TUBERCULOSIS AND YOU

||

to patient

TUBERCULOSIS AND YOU

MEDICINES USED IN MDR-TB

(most are second-line **ANTI-TB** drugs, but sometimes some of the first-line **TB** drugs are still used)

- GROUP A** Medicines to be prioritized: **LEVOFLOXACIN, MOXIFLOXACIN, BEDAQUILINE** and **LINEZOLID**. All **TB** patients should get all three **GROUP A** medicines, provided their **TB** is not resistant and they can tolerate the drugs.
- GROUP B** Medicines to be added next: **CLOFAZIMINE, CYCLOSERINE/TERIZIDONE**.
- GROUP C** Medicines to be included to complete the regimens and when agents from **GROUPS A** and **B** cannot be used: **ETHAMBUTOL, DELAMANID, PYRAZINAMIDE, IMIPENEM-CILASTATIN, MEROPENEM, AMIKACIN (STREPTOMYCIN), ETHIONAMIDE/PROTHIONAMIDE, P-AMINOSALICYLIC ACID**.

The medicines are listed in a hierarchy based on effectiveness, adverse events that they might cause and how commonly they are resistant.




Из книги в реальный мир.

Экстремальная ТБ-поездка: 7 дней, 4

города, 500 человек. И множество

публикаций в социальных сетях. Мы

#tbzorro



Декларация прав людей, затронутых ТБ



Что общего
между лордом
Вольдемортом и
Туберкулёзом?

(нужно донести
до широких
масс, что он
вернулся и стал
ещё более
опасным)



**Проблемы, которые нужно решить на пути к
светлому будущему:**

- Стигма**
- Прерывание лечения/ Перебои с
лекарствами**
- Использование новых лекарств
(регистрация)**

**Для этого необходима широкая
вовлеченность людей.**


- Даже если это статистика, которая улучшается год от года
- Даже когда известные люди говорят об этом
- Даже если это художественная выставка, или мощный протест, или красивая социальная реклама
- Почему люди не хотят ничего слышать о туберкулёзе?

Истории не-побед

TB-MEMORIAL

In honour of people who died of tuberculosis

ALL TB TB/HIV



Aleksey Feschenko



Svetlana M.



Natalia Trotsenko



Albert and Elbert Shek



Eugen K.



Liza Romanova



Vanya Doe



Taya Suslova



Albert and Elbert Shek



Albert and Elbert Shek Stories



There is a story of my childhood that I will never forget. I remember that we used to live so poorly that ice-cream was something rare. Sometime, when we had money, we both went to the shop and bought an ice-cream for each of us, and then we ate it right next to the shop. A boy approached us. He was around my age, all dirty and dressed in old clothes. I knew him, and he asked to leave him some ice-cream. I was just a capricious kid so I said him to go away. But my father had a half of his ice-cream left and he just gave it to that boy. I was so upset that my father did not have an opportunity to eat ice-cream properly because of that ragamuffin. I understood everything only when I became older.

Close

**Спасибо за ваше
внимание**

Ой.

И еще
один...

